

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1900.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1900. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale:—

HERBACEOUS PLANTS.

Acantholimon
glumaceum, *Boiss.*

Achillea
Jaborneggi ×, *Halacsy.*

Aciphylla
squarrosa, *Forst.*

Aconitum
Anthora, *Linn.*

Actæa
alba, *Mill.*
spicata, *Linn.*

Adenophora
stylosa, *Fisch.*

Æthionema
cappadocicum, *Spreng.*
cordatum, *Boiss.*

Agrimonia
Eupatoria, *Linn.*

Alonsoa
caulialata, *Ruiz et Pav.*

Alstroëmeria
chilensis, *Lam.*

Alyssum
calycinum, *Linn.*
creticum, *Linn.*
libycum, *Coss.*
Moehlendorffianum, *Hort.*
montanum, *Linn.*
saxatile, *Linn.*

Androsace
elongata, *Linn.*, var. *nana.*
filiformis, *Retz.*
lactea, *Linn.*
maxima, *Linn.*

Anemone

- alpina, *Linn.*
 — var. sulphurea.
 Halleri, *All.*
 obtusiloba, *D. Don.*
 polyanthes, *D. Don.*
 pratensis, *Linn.*
 rivularis, *Buch.-Ham.*
 sulphurea, *Linn.*
 sylvestris, *Linn.*

Anthericum

- Liliago, *Linn.*
 — var. algeriense.

Aquilegia

- Bertolonii, *Schott.*
 formosa, *Fisch.*

Arabis

- albida, *Stev.*
 Allionii, *DC.*
 alpina, *Linn.*
 — var. anachoretica, *Port.*
 blepharophylla, *Hook. et Arn.*
 Breweri, *S. Wats.*
 lucida, *Linn. fil.*

Arenaria

- austriaca, *Jacq.*

Arum

- maculatum, *Linn.*
 palæstinum, *Boiss.*

Asarum

- canadense, *Linn.*
 caudatum, *Lindl.*
 europæum, *Linn.*
 grandiflorum, *Klotzsch.*

Aster

- alpinus, *Linn.*
 — var. altaicus.
 — var. ruber.

Astilbe

- chinensis, *Franch. et Sav.*
 Thunbergii, *Miq.*

Astragalus

- danicus, *Retz.*
 Glyciphyllus, *Linn.*

Astrantia

- carniolica, *Wulf.*
 major, *Linn.*

Athamanta

- Matthioli, *Wulf.*

Aubrietia

- deltoidea, *DC.*, var. Columnæ
 (*Guss.*).

Avena

- sterilis, *Linn.*

Barbarea

- arcuata, *Reichb.*
 præcox, *R. Br.*
 vulgaris, *R. Br.*

Bottionea

- thysanthoides, *Colla.*

Brassica

- Cheiranthos, *Vill.*

Bryonia

- dioica, *Jacq.*

Bulbinella

- Hookeri, *Benth. et Hook. fil.*

Calochortus

- venustus, *Benth.* var. citrinus.
 — var. Eldorado.
 — var. oculatus.
 — var. pictus.

Camelina

- sativa, *Crantz.*
 sylvestris, *Wallr.*

Campanula

- barbata, *Linn.*
 glomerata, *Linn.*
 Hendersoni, *Hort.*
 lactiflora, *Bieb.*
 latifolia, *Linn.*, var. *macrantha*
 (*Fisch.*)
 linifolia, *Scop.*
 persicifolia, *Linn.*
 — var. *alba.*
 — var. *Backhousei.*
 — var. *grandiflora.*
 rapunculoides, *Linn.*
 rotundifolia, *Linn.*
 — var. *alba.*
 Trachelium, *Linn.*, var. *aggre-*
gata.
 — var. *flore pleno.*

Cardamine

- bulbiflora, *R. Br.*

Carlina

- corymbosa, *Linn.*

Cerastium

- perfoliatum, *Linn.*

Chærophyllum

- aromaticum, *Linn.*

Cheiranthus

- Cheiri, *Linn.*

Chelidonium

- majus, *Linn.*
 — var. *laciniatum* (*Mill.*).

Chrysanthemum

- anserinaefolium, *Hausskn.* et
Born.
 ceratophylloides, *All.*
 maximum, *Ramond.*

Cochlearia

- officinalis, *Linn.*

Codonopsis

- rotundifolia, *Royle.*

Collomia

- grandiflora, *Doug.*

Coronilla

- elegans, *Panc.*^v

Corydalis

- glauca, *Pursh.*

Delphinium

- crassicaule, *Ledeb.*
 elatum, *Linn.*, var. *glabra.*
 grandiflorum, *Linn.*
 hybridum, *Steph.*
 speciosum, *Bieb.*, var. *turke-*
stanicum.
 truncatum, *Hort.*
 velutinum, *Bertol.*

Dianthus

- cæsius, *Sm.*
 calocephalus, *Boiss.*
 chinensis, *Linn.*
 deltoides, *Linn.*
 glacialis, *Haenke.*, var. *gelidus.*
 Hellwigii ×, *Borb.*
 moesiacus, *Vis.* et *Panc.*^v
 superbus, *Linn.*

Dictamnus

- albus, *Linn.*

Digitalis

- ambigua, *Murr.*
 lutea, *Linn.*
 purpurea, *Linn.*

Draba

- arabisans, *Michx.*
 aurea, *Vahl.*
 carinthiaca, *Hoppe*, var. *Traun-*
steineri (*Hoppe*).
 fladnizensis, *Wulf.*
 hispida, *Willd.*
 incana, *Linn.*
 —var. *hebecarpa*.
 Kotschy, *Stur.*
 lactea, *Adams.*
 longirostra, *Schott, Nym.* et
Kotschy.
 rupestris, *R. Br.*
 siliquosa, *Bieb.*

Epilobium

- angustifolium, *Linn.*
 Hectori, *Hauskn.*
 luteum, *Pursh.*
 parviflorum, *Schreb.*
 rosmarinifolium, *Haenke.*

Erigeron

- glabellus, *Nutt.*
 macranthus, *Nutt.*
 multiradiatus, *Benth.* et *Hook.*
fil.
 Roylei, *DC.*
 speciosus, *DC.*

Erinus

- alpinus, *Linn.*

Erodium

- curvifolium, *Boiss.* et *Reut.*
 ciconium, *Willd.*

Eryngium

- caeruleum, *Bieb.*

Erysimum

- thyrsoides, *Boiss.*

Eschscholzia

- californica, *Cham.*
 —var. *alba.*

Eupatorium

- cannabinum, *Linn.*

Fritillaria

- aurea, *Schott.*
 camtschatscensis, *Ker-Gawwi*

Funkia

- Sieboldiana, *Hook.*

Gaillardia

- aristata, *Pursh.*, var. *grandiflora*,
Hort.

Gentiana

- asclepiadea, *Linn.*
 punctata, *Linn.*
 Saponaria, *Linn.*
 verna, *Linn.*

Geranium

- asphodeloides, *Burm. fil.*
 cinereum, *Cav.*
 Endressi, *Gay.*
 sanguineum, *Linn.*
 —var. *lancastricense* (*Mill.*).
 —var. *roseum.*
 sibiricum, *Linn.*
 subcaulescens, *L'Herit.*

Gerbera

- nivea, *Sch. Bip.*

Geum

- montanum, *Linn.*
 nutans, *Hort. Par.*
 parviflorum, *Commers.*
 pyrenaicum, *Mill.*
 rubellum, *Fisch.* et *Mey*

Globulariatrichosantha, *Fisch. et Mey.***Gypsophila**acutifolia, *Fisch.*dubia, *Willd.***Helleborus**antiquorum, *A. Br.*, var. *roseus.*colchicus, *Regel.***Hesperis**matronalis, *Linn.***Heuchera**bracteata, *Ser.*Drummondii, *Hort.*macrophylla, *Lodd.*sanguinea, *Engelm.***Hieracium**argenteum, *Fries.*iricum, *Fries.*rigidum, *Hartm.*scoticum, *Hort.*tridentatum, *Fries.*villosum, *Jacq.***Homogyne**alpina, *Cass.***Hyacinthus**romanus, *Linn.***Hypericum**pulchrum, *Linn.*Richeri, *Vill.*, var. *Burseri*(*Spach*).**Iberis**intermedia, *Guerseut.*semperflorens, *Linn.*sempervirens, *Linn.*—var. *superba.*umbellata, *Linn.***Impatiens**Noli-tangere, *Linn.***Incarvillea**Delavayi, *Bureau et Franch.***Inula**ensifolia, *Linn.*Helenium, *Linn.***Iris**sibirica, *Linn.*—var. *alba.*—var. *flexuosa.*tenax, *Dougl.***Isatis**tinctoria, *Linn.***Jasione**montana, *Linn.***Kniphofia**Tuckii, *Baker.***Lactuca**muralis, *E. Mey.***Lathyrus**canescens, *Gren. et Godr.*macrorrhizus, *Wimm.*magellanicus, *Lam.*montanus, *Bernh.***Leontopodium**alpinum, *Cass.***Lepidium**Menziesii, *DC.***Leucojum**vernum, *Linn.*, var. *carpathicum*(*Herb.*).

Ligusticumscoticum, *Linn.***Lilium**Washingtonianum, *Kellogg*, var.
purpureum.**Linaria**maroccana, *Hook. fil.***Lindelofia**spectabilis, *Lehm.***Linum**alpinum, *Linn.*
perenne, *Linn.***Lotus**corniculatus, *Linn.***Lunaria**annua, *Linn.***Lupinus**micranthus, *Dougl.*
rivularis, *Dougl.***Lychnis**divaricata, *Reichb.*
Flos-jovis, *Desr.*
Githago, *Scop.*
pyrenaica, *Berger.*
Viscaria, *Linn.*
— var. splendens.**Malva**Alcea, *Linn.*
borealis, *Wallm.*
crispa, *Linn.***Mandragora**officinarum, *Linn.***Meconopsis**cambrica, *Vig.*
Wallichii, *Hook.*
— var. fusco-purpurea.**Medicago**truncatula, *Gaertn.***Melilotus**elegans, *Salzm.***Mesembryanthemum**pomeridianum, *Linn.***Mitella**pentandra, *Hook.***Morina**longifolia, *Wall.***Muscari**Argæi, *Hort.*
armeniaceum, *Leichtlin.*
botryoides, *Mill.*
Maweanum, *Baker.*
moschatum, *Willd.***Ochthodium**ægypticum, *DC.***Ænothera**biennis, *Linn.***Onobrychis**sativa, *Lam.***Ononis**arvensis, *Linn.***Orchis**mascula, *Linn.***Oxytropis**glabra, *DC.*
lapponica, *Gaud.*
strobilacea, *Bunge.*

Papaver

- alpinum, *Linn.*
 Heldreichii, *Boiss.*
 nudicaule, *Linn.*, var. *miniatum*.
 pilosum, *Sibth. et Sm.*
 somniferum, *Linn.*

Paradisea

- Liliastrum, Bertol.*

Pedicularis

- palustris, *Linn.*
 — var. *alba*.

Pentstemon

- confertus, *Dougl.*
 deustus, *Dougl.*
 diffusus, *Dougl.*
 glaucus, *R. Grah.*, var. *stenopetalus*.
 ovatus, *Dougl.*

Phlomis

- setigera, *Falc.*

Phyteuma

- orbiculare, *Linn.*
 Scheuchzeri, *All.*
 Sieberi, *Spreng.*
 spicatum, *Linn.*

Picrorhiza

- Kurroa, *Royle.*

Pisum

- sativum, *Linn.*

Plantago

- Raoultii, *Decne.*

Platycodon

- grandiflorum, *A. DC.*, var. *Mariesii*.

Podopyllum

- Emodi, *Wall.*

Polemonium

- cæruleum, *Linn.*
 — var. *album*.
 — var. *monstrosum*.
 himalayanum, *Baker.*

Polygonum

- viviparum, *Linn.*

Potentilla

- alchemilloides, *Lapeyr.*
 alpestris, *Hall. fil.*
 malacophylla, *Borb.*
 Menziesii ×, *Paxl.*
 Sibbaldia, *Hall. fil.*

Poterium

- canadense, *A. Gray.*
 muricatum, *Spach.*
 officinale, *A. Gray.*

Primula

- Auricula, *Linn.*, var. *monacensis*.
 calycina, *Duby*
 capitata, *Hook.*
 carniolica, *Jacq.*
 elatior, *Hill.*, var. *carpatica* (*Fuss.*).
 farinosa, *Linn.*
 frondosa, *Janka.*
 involucrata, *Wall.*, var. *Munroi*.
 sikkimensis, *Hook.*
 viscosa, *Vill.*, var. *decora, Sims.*
 — var. *nivalis, Hort.*

Prunella

- grandiflora, *Jacq.*
 vulgaris, *Linn.*
 — var. *alba*.

Pyrola

- media, *Sav.*
 rotundifolia, *Linn.*

Ramondia

- pyrenaica, *Rich.*
 serbica, *Panc.*
 — var. *Nathaliae* (*Panc.*^v et *Petrov.*)

Ranunculus

- acris, *Linn.*
 bulbosus, *Linn.*, var. *fasciatus*.
 Chius, *DC.*

Reseda

- complicata, *Bory.*
 Luteola, *Linn.*

Rheum

- Rhaponticum, *Linn.*

Sanicula

- europæa, *Linn.*

Saxifraga

- Aizoon, *Linn.*, var. *balcana*,
Hort.
 — *carinthiaca* (*Schott.*)
 — *Malyi* (*Schott.*, *Nym.* et
Kotschy.)
 — *minima*.
 — *notata* (*Schott.*, *Nym.* et
Kotschy.)
 — *pectinata* (*Schott.*)
 — *punctata*.
 — *rosularis*, *Schl.*
 — *Sturmiana* (*Schott.*, *Nym.* et
Kotschy.)
aspera, *Linn.*

- bronchialis*, *Linn.*
 — var. *cherlerioides* (*D. Don.*)
Bucklandi, *Hort.*, var. *major*.
Burseriana, *Linn.*, var. *multi-*
flora.
crustata, *Vest.*, var. *hybrida*.
decipiens, *Ehrh.*
 — var. *palmata* (*Panc.*^v).
exarata, *Vill.*
granulata, *Linn.*
Hostii, *Tausch.*
 — var. *altissima* (*Kern.*)
 — var. *elatior* (*Mert.* et *Koch.*)
hypnoides, *Linn.*
intacta, *Willd.*
 — var. *farinosa*.
leucanthemifolia, *Michx.*
lingulata, *Bell.*, var. *australis*
 (*Moric.*)
longifolia, *Lapeyr.*
mutata, *Linn.*
oppositifolia, *Linn.*
 — var. *alba*.
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
Portæ ×, *Engl.*
pseudo-sancta, *Janka.*
retusa, *Gouan.*, var. *bryoides*.
 — *maritima*.
rotundifolia, *Linn.*
sancta, *Griseb.*
stellaris, *Linn.*
tenella, *Wulf.*
tyrolensis, *Kern.*
umbrosa, *Linn.*, var. *Ogilveana*
Hort.
 — var. *serratifolia* (*Mackay.*)

Scabiosa

- caucasica*, *Bieb.*
 — var. *alba*.

Scilla

- bifolia, *Linn.*, var. *præcox*.
 festalis, *Salisb.*
 — var. *alba*.
 hispanica, *Mill.*, var. *grandiflora*.
 patula, *DC.*
 — var. *major*.

Scrophularia

- nodosa, *Linn.*

Scutellaria

- alpina, *Linn.*

Sedum

- album, *Linn.*
 Anacampseros, *Linn.*
 asiaticum, *Spreng.*
 stoloniferum, *S. T. Gmel.*

Sempervivum

- arvernense, *Lecoq et Lamotte*.
 glaucum, *Tenore*.
 Pomellii, *Lamotte*.
 Schottii, *Baker*, var. *acuminatum* (*Schott*).

Sidalcea

- candida, *A. Gray*.
 malvæflora, *A. Gray*.

Silene

- alpestris, *Jacq.*
 Armeria, *Linn.*
 caucasica, *Boiss.*
 colorata, *Poir.*
 Cucubalus, *Wibel.*
 Drummondii, *Hook.*
 italica, *Pers.*
 muscipula, *Linn.*
 nicænsis, *All.*
 quadridentata, *Pers.*
 rhynchocarpa, *Boiss.*
 Saxifraga, *Linn.*

Schafta, *Gmel.*

Sendtneri, *Boiss.*

Thorei, *Duf.*

vallesia, *Linn.*

verecunda, *S. Wats.*

Silphium

terebinthaceum, *Jacq.*

Sisymbrium

Thalianum, *J. Gay.*

Sisyrinchium

angustifolium, *Mill.*

Smilacina

racemosa, *Desf.*

Sobolewskyia

clavata, *Fenzl*, var. *cilicica*.

Solanum

Dulcamara, *Linn.*, var. *alba*.

Solidago

- elongata, *Nutt.*
 multiradiata, *Ait.*, var. *scopu-
 lorum*.
 Virgaurea, *Linn.*

Spergula

arvensis, *Linn.*

Spiræa

- astilboides, *Carr.*
 Filipendula, *Linn.*
 Ulmaria, *Linn.*

Synthyris

reniformis, *Benth.*

Thalictrum

- angustifolium, *Linn.*
 calabricum, *Spreng.*

Thalictrum—*continued*.

- glaucum, *Desf.*
 minus, *Linn.*
 simplex, *Linn.*

Thermopsis

- fabacea, *DC.*
 montana, *Nutt.*

Thlaspi

- arvense, *Linn.*

Tofieldia

- calyculata, *Wahlenb.*

Trifolium

- agrarium, *Linn.*
 alpinum, *Linn.*
 pannonicum, *Jacq.*
 striatum, *Linn.*

Trillium

- erythrocarpum, *Curt.*
 grandiflorum, *Salisb.*
 ovatum, *Pursh.*
 stylosum, *Nutt.*

Tritonia

- rosea, *Klatt.*

Trollius

- altaicus, *C. A. Mey.*
 asiaticus, *Linn.*, var. *giganteus*.
 europæus, *Linn.*
 — var. *pumilus albus*.
 patulus, *Salisb.*, var. *albus*.

Tunica

- stricta, *Fisch. et Mey.*
 velutina, *Fisch. et Mey.*

Typha

- angustifolia, *Linn.*
 latifolia, *Linn.*

Veronica

- fruticulosa, *Linn.*
 Guthriana ×, *Hort.*
 longifolia, *Linn.*
 Lyallii, *Hook. fil.*
 satureioides, *Vis.*
 saxatilis, *Scop.*

Vicia

- Cracca, *Linn.*
 sylvatica, *Linn.*
 unijuga, *A. Braun.*
 villosa, *Roth.*

Viola

- canadensis, *Linn.*, var. *alba*.
 cornuta, *Linn.*
 macedonica, *Boiss. et Heldr.*
 odorata, *Linn.*, var. *lutea*.
 persicifolia, *Roth.*
 polychroma, *Kern.*
 primulaefolia, *Linn.*
 sylvestris, *Lam.*

Waldsteinia

- trifolia, *Koch.*

Wulfenia

- carinthiaca, *Jacq.*

TREES AND SHRUBS.

AcerPseudo-platanus, *Linn.***Alnus**cordifolia, *Ten.*glutinosa, *Medic.*incana, *Medic.***Amelanchier**canadensis, *Torr. et Gray.***Arctostaphylos**Uva-ursi, *Spreng.***Berberis**angulosa, *Wall.*Aquifolium, *Pursh.***Betula**alba, *Linn.*— var. pendula, *Hort.***Caragana**arborescens, *Lam.***Clematis**Vitalba, *Linn.***Colutea**istria, *Mill.***Cornus**alba, *Linn.***Cotoneaster**frigida, *Wall.*horizontalis, *Decne*microphylla, *Wall.*Simonsii, *Baker.***Cratægus**mollis, *Scheele.*Oxyacantha, *Linn.*— var. pendula, *Lodd.***Cytisus**nigricans, *Linn.*scoparius, *Link.*

— var. Andreanus.

DaphneMezereum, *Linn.*

— var. album.

Dryasoctopetala, *Linn.***Genista**sagittalis, *Linn.***Helianthemum**ægyptiacum, *Mill.*ledifolium, *Mill.*umbellatum, *Mill.*vulgare, *Gaertn.*

— var. mutabile.

— var. roseum.

— var. venustum.

IlexAquifolium, *Linn.*

— var. aurea angustifolia.

— var. camelliæfolia.

— var. flavescens.

— var. fructu luteo.

— var. Hodginsii.

— var. maderensis.

Laburnumalpinum, *J. S. Presl.*vulgare, *J. S. Presl.***Ledum**latifolium, *Ait.*palustre, *Linn.***Nuttallia**cerasiformis, *Torr. et Gray.***Olearia**Haastii, *Hook. fil.***Pernettya**mucronata, *Gaudich.***Prunus**Avium, *Linn.***Pyrus**Aria, *Linn.*Aucuparia, *Gaertn.*nivalis, *Jacq.*rotundifolia, *Bechst.***Quercus**Cerris, *Linn.*pedunculata, *Ehrh.*sessiliflora, *Salisb.***Rhamnus**catharticus, *Linn.*Frangula, *Linn.***Rhododendron**catawbiense, *Michx.*caucasicum, *Pall.*ferrugineum, *Linn.*— var. album, *Sweet.*flavum, *G. Don.*hirsutum, *Linn.***Rhododendron**—continued.

hirsutum, var. album.

— var. variegatum.

ponticum, *Linn.***Rhodotypos**kerrioides, *Sieb. et Zucc.***Rosa**rugosa, *Thunb.*

— var. alba.

Sambucuscanadensis, *Linn.*nigra, *Linn.*

— var. fructu albo.

SkimmiaFortunei, *Mast.***Symphoricarpus**racemosus, *Michx.***Taxus**baccata, *Linn.*— var. Dovastoni, *Carr.*— var. fastigiata, *Loud.***Thymus**Chamædrys, *Fries*, var. comosus
(*Heuff.*).**Tilia**vulgaris, *Hayne.***Veronica**anomala, *Armstr.*Bidwillii, *Hook. fil.*Colensoi, *Hook. fil.*, var. glauca.monticola, *Armstr.*pinguifolia, *Hook. fil.*vernica, *Hook. fil.*, var. pur
purea.**Viburnum**Lantana, *Linn.*Opulus, *Linn.*

PLANTS UNDER GLASS.

- Acokanthera**
spectabile, *Hook. fil.*
- Actinostemma**
biglandulosum, *Hemsl.*
- Ardisia**
crenata, *Roxb.*
- Aristolochia**
brasiliensis, *Mart.*
fimbriata, *Cham.*
- Asparagus**
scandens, *Thunb.*
- Begonia**
coccinea, *Hook.*
Dregei, *Otto et Dietr.*
Knowsleyana, *Hort.*
manicata, *Cels.*
nitida, *Dry.*
Verschaffeltii, *Hort.*
- Billardiera**
longiflora, *Labill.*
- Billbergia**
pallidiflora, *Liebm.*
- Bomarea**
multiflora, *Mirb.*
- Brachychilum**
Horsfieldii, *Baker.*
- Brodiaea**
lactea, *S. Wats.*
- Camellia**
theifera, *Griff.*
- Cassia**
corymbosa, *Lam.*
- Chlorophytum**
orchidastrum, *Lindl.*
- Clethra**
arborea, *Ait.*
- Cobæa**
scandens, *Cav.*
- Coffea**
arabica, *Linn.*
- Costus**
igneus, *N. E. Br.*
- Cotyledon**
Desmetiana, *Hemsl.*
- Crossandra**
undulæfolia, *Salisb.*
- Cyclanthera**
explodens, *Naud.*
- Darlingtonia**
californica, *Torr.*
- Dracæna**
phrynioides, *Hook. fil.*
- Drosophyllum**
lusitanicum, *Link.*

Drosera

- capensis, *Linn.*
filiformis, *Rafin.*
peltata, *Sm.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Eucalyptus

- ficifolia, *F. Muell.*
urnigera, *Hook. fil.*

Ficus

- diversifolia, *Blume.*

Fuchsia

- procumbens, *R. Cunn.*

Gazania

- pygmæa, *Sond.*

Genista

- monosperma, *Lam.*

Gossypium

- arboreum, *Linn.*
herbaceum, *Linn.*
neglectum, *Tod.*

Heeria

- rosea, *Triana.*

Hedychium

- Gardnerianum, *Rosc.*

Hibiscus

- esculentus, *Linn.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*

Humea

- elegans, *Sm.*

Hydrolea

- spinosa, *Linn.*

Kalanchoe

- crenata, *Haw.*
thyrsiflora, *Harv.*

Kennedya

- prostrata, *R. Br.*

Lycopersicum

- Humboldtii, *Dun.*
racemigerum, *Lange.*

Maurandia

- Barclayana, *Lindl.*

Melothria

- cucumerina, *Naud.*

Mesembryanthemum

- blandum, *Haw.*
curviflorum, *Haw.*
elegans, *Jacq.*
micans, *Linn.*
polyanthon, *Haw.*
roseum, *Willd.*

Mimosa

- marginata, *Lindl.*
pudica, *Linn.*

Mimulus

- glutinosus, *Wendl.*

Momordica

- Charantia, *Linn.*
cochinchinensis, *Spreng.*

Musschia

- Wollastoni, *Lowe.*

Myrtus

- communis, *Linn.*
Luma, *Barn.*
Ugni, *Mol.*

Nephthytisliberica, *N. E. Br.***Nicotiana**

sylvestris.

OchnaKirkii, *Oliv.*mossambicensis, *Klotzsch.***Ornithogalum**lacteam, *Jacq.***Orthosanthus**multiflorus, *Sweet.***Oryza**sativa, *Linn.***Oxypetalum**caeruleum, *Decne.***Passiflora**edulis, *Sims.*quadrangularis, *Linn.***Pelargonium**ternatum, *Linn.***Pentas**carnea, *Benth.*, var. *kermesina*,
*Hort.***Phyllanthus**montanus, *Sw.***Pinguicula**lusitanica, *Linn.***Polyalthia**suberosa, *Benth. et Hook. fil.***Primula**floribunda, *Wall.*moliis, *Nutt.*verticillata, *Forsk.***Psychotria**micrantha, *Hiern.***Ricinus**communis, *Linn.***Rivina**humilis, *Linn.***Sarracenia**illustrata, *Hort.***Senecio**macroGLOSSUS, *DC.***Solanum**Seafortianum, *Andrews.***Tacsonia**mixta, *Juss.***Tetranema**mexicana, *Benth.***Tillandsia**splendens, *Brongn.***Torenia**flava, *Buch.-Ham.*Fournieri, *Linden.***Turnera**ulmifolia, *Linn.***Villamilla**octandra, *Hook. fil.***Vitis**heterophylla, *Thunb.*, var.humulifolia, *Hort.*